World Journal of
Pharmacy and Medical Science

ISSN: 3049-3501
Impact Factor: 3.2
CODEN (USA): WJPMAA

Research Article
2025 Volume 1, Issue 4
Page No.: 01-03

SKIN AS A TARGETED ROUTE FOR THERAPEUTIC DELIVERY IN PANCHAKARMA PROCEDURES

Dr. Dayana H.*[1], Harikrishna Kamath S.[2] and Dr. Shyny Thankachan[3]

[1]Assistant Professor, Dept of Rachana Sharir, Govt. Ayurveda College, Tripunithura, Kerala.
[2]Assistant Professor, Dept of Rachana Sharir, V. P. S. V. Ayurveda College, Kottakkal, Kerala.
[3]PhD Scholar, Dept of Rachana Sharir, Parul Institute of Ayurveda, Parul University, Vadodara.

Article Received: 31 July 2025 Article Review: 21 August 2025 Article Accepted: 11 September 2025

***Corresponding Author: Dr. Dayana H.**
Assistant Professor, Dept of Rachana Sharir, Govt. Ayurveda College, Tripunithura, Kerala.
DOI: https://doi.org/10.5281/zenodo.17235659

How to cite this Article: Dr. Dayana H., Harikrishna Kamath S. and Dr. Shyny Thankachan (2025). SKIN AS A TARGETED ROUTE FOR THERAPEUTIC DELIVERY IN PANCHAKARMA PROCEDURES. World Journal of Pharmacy and Medical Science, 1(4): 01-03. https://doi.org/10.5281/zenodo.17235659

Copyright © 2025 Dr. Dayana H. | World Journal of Pharmacy and Medical Science
This is an open-access article distributed under creative Commons Attribution-NonCommercial 4.0 International license (CC BY-NC 4.0)

ABSTRACT

Skin, the largest organ of the body, acts as a physical shield, sensory interface, and regulator of temperature. In Ayurveda, *Twak* (skin) is recognized as one of the sense organs, composed of seven distinct layers, each prone to specific disorders. *Panchakarma*, a fundamental Ayurvedic therapeutic approach, involves preparatory steps (*Purvakarma*) such as *Snehana* (oleation) and *Swedana* (sudation), which often utilize the skin as a medium for drug delivery. The anatomical characteristics of the skin are relevant to *Purvakarma*, focusing on transdermal absorption pathways, including intercellular, intracellular, and shunt routes. The vascular network of the skin and metabolic process—particularly the roles of *Bhrajaka Pitta* and *Dhatwagni*—enable penetration, biotransformation, and systemic transport of medicinal agents. Modern pharmacology complements these Ayurvedic concepts, acknowledging the benefits of transdermal administration in bypassing first-pass metabolism, improving bioavailability, and achieving both localized and systemic effects. The success of external oleation therapies is influenced by the physicochemical nature of medicated oils, the duration of skin contact, and temperature during application. This reinforces the importance of the skin as an effective and targeted route for drug delivery.

KEYWORDS: Skin, *Panchakarma*, *Purvakarma*, *Snehana*, *Bhrajaka Pitta*.

INTRODUCTION

The skin is a remarkable organ, serving as a dynamic, multi-functional barrier and sensory interface. It protects the body from external threats like pathogens and UV radiation, regulates temperature, and facilitates touch sensation. In Ayurveda, this organ, known as Twak, is recognized not only as a protective covering but also as a vital sensory organ crucial for maintaining overall health.[1] The Sushruta Samhita describes the development of skin in an embryo, likening it to the creamy layer that forms on boiling milk.[2] According to the text, Twak is comprised of seven distinct layers, each with a unique thickness and susceptibility to specific diseases.[3]

Panchakarma, a cornerstone of Ayurvedic detoxification and rejuvenation, is a systematic therapeutic process. It's not just a single procedure, but a comprehensive system involving three sequential stages: Purvakarma, Pradhana Karma, and Paschat Karma. The Purvakarma stage, typically lasting three to seven days, is critically important. It prepares the body by mobilizing toxins from the deeper tissues and directing them towards the gastrointestinal tract for elimination. This preparatory phase includes three main practices Pachana, Snehana, and Swedana. These methods work synergistically to optimize the body for the deeper detoxification that follows in the Pradhana Karma stage.

Among these, Snehana is particularly pivotal. It involves the therapeutic application of medicated oils, ghee, or

other herbal preparations. External oleation therapies, such as Abhyanga, Pichu, Pizhichil, and Njavarakizhi, are tailored to address specific conditions. These treatments range from musculoskeletal disorders and rheumatic complaints to neurological ailments. Other procedures like Shirodhara, Shirovasti, Kativasthi, and Elakizhi are also based on the principle of transdermal absorption and localized therapeutic effect.



MATERIALS AND METHODS

This study is an analytical exploration into the unique anatomical and physiological properties of the skin as a targeted route of administration in Purvakarma procedures.

The information regarding skin anatomy, structure, and functions was gathered from modern textbooks of anatomy and dermatology. Insights into the concept of Twak and the pathways of absorption were sourced from classical Ayurvedic texts like the Sushruta Samhita as well as contemporary research papers and journals. The collected data from both modern and Ayurvedic perspectives were scientifically analyzed and synthesized to provide a comprehensive understanding of the topic.

DISCUSSION

Anatomy of the Skin

The skin is a complex organ with a layered structure that dictates how substances penetrate it. It is primarily composed of two main layers:

- **Epidermis:** This is the outermost layer, a thin epithelial barrier made of keratinized stratified squamous epithelium. It acts as the primary defense against external agents. The epidermis is composed of several cell types, including keratinocytes, melanocytes, Langerhans cells, and Merkel cells. It has four layers in most areas of the body, but a fifth layer, the stratum lucidum, is present in thick skin (palms and soles). The stratum corneum, the outermost layer of the epidermis, is the major rate-limiting barrier for drug absorption due to its tightly packed, dead keratinocytes embedded in a lipid matrix.
- **Dermis:** Located beneath the epidermis, the dermis is a much thicker layer of connective tissue. It provides structural support to the skin and houses an intricate network of blood vessels, lymphatic vessels, nerves, glands (sweat and sebaceous), and hair follicles. The dermis is divided into two regions: the papillary region (which interlocks with the epidermis) and the reticular region (the deeper, thicker part). The rich vascularity of the dermis is crucial for the systemic absorption of topically applied substances.[4]

Pathways of Drug Absorption

In most external Purvakarma procedures, the medicinal preparations must penetrate the skin to exert their therapeutic effects. The absorption of these preparations is influenced by several factors, including local temperature, vascularity, and the physicochemical properties of the preparation itself. There are three main routes for transdermal absorption:

- **Intercellular Route:** This is the most common pathway, especially for lipophilic (fat-soluble) and amphiphilic (having both fat- and water-soluble parts) molecules. Drugs diffuse through the lipid lamellae—stacked layers of lipids—that exist between the flattened cells of the stratum corneum (corneocytes). This route is slow but effective for many oils and herbal compounds.
- **Intracellular/Transcellular Route:** This pathway involves the direct passage of drugs through the corneocytes themselves. It's the primary route for hydrophilic (water-soluble) drugs. This process is more complex, requiring multiple partitioning and diffusion steps as the drug navigates the aqueous keratin matrix of the cells.[5]

- **Shunt Route (Appendageal Route):** This route provides a shortcut, bypassing the resistant stratum corneum. It involves the penetration of drugs through the skin's appendages: the sweat glands, sebaceous glands, and hair follicles. These structures offer a direct channel to the deeper dermis, enhancing drug delivery and increasing the surface area for absorption. The massage techniques and warmth applied during Panchakarma procedures, such as Abhyanga, are specifically designed to dilate these channels, making this pathway more efficient.[6,7]

Modern and Ayurvedic Perspectives

From a modern biomedical standpoint, transdermal delivery is a highly desirable route for drug administration. It bypasses the gastrointestinal tract, avoiding first-pass hepatic metabolism and degradation by digestive enzymes, which significantly enhances the bioavailability of the active compounds. This means that a larger portion of the applied medicine reaches the bloodstream and target tissues.

Ayurveda provides a rich and nuanced understanding of this process, guided by the gunas of the preparations. The qualities of the herbs and oils are carefully chosen to promote penetration and therapeutic action.

- **Teekshna** and **Sukshma:** qualities allow the medicine to penetrate deeper tissues.
- **Ushna:** quality, along with the application of warmth, widens the skin pores and blood vessels.
- **Vyavayi:** quality ensures rapid spread of the substance throughout the body.
- **Snigdha:** quality nourishes the tissues.
- **Guru:** quality provides stability and strength to the tissues.
- **Sheeta** and **Mridu:** qualities are used to soothe inflammation and relieve stiffness, respectively.
- **Manda:** quality ensures sustained drug contact, allowing for prolonged therapeutic action.

Ayurvedic texts explain that Bhrajaka Pitta, a sub-type of Pitta responsible for the color and health of the skin, processes and metabolizes the applied medicine.[8] The processed compounds are then absorbed through the Romakupa (pores of the hair follicles) and transported to deeper tissues by Thiryakdhamani (minute blood vessels), followed by the action of Dhatwagni.[9] The combination of massage, warmth, and extended contact time during Panchakarma procedures significantly enhances the skin's permeability and vascular absorption, allowing for both local and systemic therapeutic action.

CONCLUSION

The skin serves as an effective route for the therapeutic delivery of a wide range of substances. Both modern science and Ayurveda recognize the skin's layered structure and its ability to absorb substances, albeit through different explanatory models. Panchakarma procedures strategically leverage the skin's anatomy and physiology, using a combination of oleation, warmth, and specific herbal properties to achieve profound therapeutic effects. The understanding of the skin as a targeted route for therapeutic delivery provides a scientific basis for the efficacy of these ancient procedures.

REFERENCES

1. Charak Samhita,Ayurvedadipika Sanskrit commentary, Chakrapanidatta, Sutrastana: Tistrisaneeya Adhaya; (11:38), p.75, Choukambha Orientalia, Varanasi, Reprint edition 2014.
2. Sushruta Samhita, Sushruta, Nibandhasangraha Commentary, Dalhanacharya and Nyayach andrika Panjika of Gayadas Acharya, Sharira sthana, Garbhavyakaranam Shariram; (4: 4), p.355, Chaukhambba Sanskrit Sansthan; Varanasi, Reprint 2017.
3. Sushruta Samhita, Sushruta, Nibandhasangraha Commentary, Dalhanacharya and Nyayach andrika Panjika of Gayadas Acharya, Sharira sthana, Garbhavyakaranam Shariram; (4: 4), p.355, Chaukhambba Sanskrit Sansthan; Varanasi, Reprint 2017.
4. Anne Waugh, Allison Grant, Ross and Wilson Anatomy & Physiology in health and illness. P- 362-363; Churchill Livingstone, Elsevier, 12th edition.
5. Morow D.I.J., Carron P.A. Mc, Woolfson A.D., Donnelly R.F., Innovative Strategies for Enhancing Topical and Transdermal Drug Delivery, The Open Drug Delivery Journal, 1, 2007, 36-59.
6. Magdalena Boer, Ewa Duchnik, Romuald Maleszka, Mariola Marchlewicz; Structural and biophysical characteristics of human skin in maintaining proper epidermal barrier function, 2016 Feb 29; 33(1): 1–5.
7. W. Pathirana, S. M, Gunasekera, G. R, Constantine, SanjaPerera, B. M. Perera, R. Kamaladiwela; Brain Targeted Transcranial Administration of Diazepam and Shortening of Sleep Latency in Healthy Human Volunteers; 73(5): 497–503. 2011 Sep-Oct.
8. Ashtanga Hridya, Vagbhata, Hemadri commentary, Hari Sadashiva Shastri Paradakara, Sutrastana: Doshabbhediya Adhaya; (12:14), p.194 Chouhkamba Sanskrit Samsthan, Varanasi, reprint edition. 2012.
9. Sushruta Samhita, Sushruta, Nibandhasangraha Commentary, Dalhanacharya and Nyayachandrika Panjika of Gayadas Acharya on Nidhanasthana Shareerasthana: Dhamaneevya karanam: (9: 9), p384, Chaukhambba Choukambha Krishnadas Academy; Varanasi, Reprint 2008.