

AGNI AND THE GUT MICROBIOME: AN INTEGRATIVE AYURVEDIC PERSPECTIVE ON METABOLIC HOMEOSTASIS AND SYSTEMIC HEALTH

Amita Tripathi^{*1}, Dilip Nalage², Aradhna Purohit³, Priya More⁴

¹PG Scholar, Dept. of Samhita & Siddhanta, Pt. Shivshakti Lal Ayurveda Medical College Ratlam Madhya Pradesh.

²Professor & HOD Department of Samhita & Siddhanta, Pt. Shivshakti Lal Ayurveda Medical College Ratlam Madhya Pradesh.

³Associate Professor Department of Samhita & Siddhanta, Pt. Shivshakti Lal Ayurveda Medical College Ratlam Madhya Pradesh.

⁴Assistant Professor, Department of Samhita & Siddhanta, Pt. Shivshakti Lal Ayurveda Medical College Ratlam Madhya Pradesh.

Article Received: 28 July 2026

Article Review: 29 August 2026

Article Accepted: 18 September 2026

*Corresponding Author: Amita Tripathi

PG Scholar, Dept. of Samhita & Siddhanta, Pt. Shivshakti Lal Ayurveda Medical College Ratlam Madhya Pradesh.

DOI: <https://doi.org/10.5281/zenodo.23076153>

How to cite this Article: Amita Tripathi, Dilip Nalage, Aradhna Purohit, Priya More (2026). AGNI AND THE GUT MICROBIOME: AN INTEGRATIVE AYURVEDIC PERSPECTIVE ON METABOLIC HOMEOSTASIS AND SYSTEMIC HEALTH. World Journal of Pharmacy and Medical Science, 2(10): 71-80.



Copyright © 2026 Amita Tripathi | World Journal of Pharmacy and Medical Science

This is an open-access article distributed under creative Commons Attribution-NonCommercial 4.0 International license (CC BY-NC 4.0)

ABSTRACT

Background: Digestion and metabolism are increasingly recognized as interconnected systemic processes that influence energy homeostasis, immune function, inflammatory responses, and overall physiological health. Contemporary research has established the gut microbiome as a key regulator of host metabolism and immune-inflammatory pathways, thereby expanding the understanding of gastrointestinal function beyond nutrient digestion. Ayurveda, the traditional system of Indian medicine, similarly conceptualizes digestion, transformation, and metabolism through the fundamental principle of *Agni*, which is considered central to the maintenance of physiological equilibrium and health. **Objective:** This narrative review aims to critically examine the conceptual relationship between *Agni* and the gut microbiome, with particular emphasis on their potential relevance to metabolic homeostasis, inflammation, and systemic health. **Methods:** Classical Ayurvedic concepts related to *Agni*, *Samagni*, *Agnimandya*, and *Ama* were examined in conjunction with contemporary peer-reviewed biomedical literature addressing gut microbial ecology, microbial metabolites, host-microbe interactions, intestinal barrier function, inflammation, and metabolic disorders. A qualitative integrative approach was employed to identify areas of functional convergence while explicitly distinguishing conceptual correspondence from direct biological equivalence. **Findings:** The review identifies several areas of functional convergence between the Ayurvedic construct of balanced *Agni* (*Samagni*) and contemporary descriptions of a metabolically and immunologically balanced gut microbial ecosystem. Both frameworks emphasize efficient processing and utilization of nutrients, maintenance of physiological homeostasis, and appropriate host-environment interactions. Conversely, impaired digestive function (*Agnimandya*) and the Ayurvedic concept of *Ama* demonstrate conceptual parallels with altered microbial homeostasis, impaired intestinal barrier function, accumulation of potentially detrimental microbial metabolites, and chronic low-grade inflammation. Ayurvedic determinants of health, including dietary quality, meal patterns, circadian regulation, sleep, and psychological stress, also correspond with established factors influencing gut microbiome composition and metabolic function. **Conclusion:** The *Agni* framework and contemporary gut microbiome science offer distinct but potentially complementary perspectives on digestion, metabolism, and systemic homeostasis. Their integration may provide a useful conceptual framework for generating interdisciplinary hypotheses concerning diet, lifestyle, microbial metabolism, and metabolic health. However, these parallels should be interpreted as conceptual rather than evidence of biological equivalence. Well-designed mechanistic, observational, and clinical studies are required to investigate whether Ayurvedic constructs such as *Agni* can be operationalized and empirically evaluated using contemporary microbiome and metabolic biomarkers.

KEYWORDS: *Agni*; Ayurveda; gut microbiome; gut microbiota; metabolic homeostasis; dysbiosis; *Ama*; host-microbe interactions; metabolic health; integrative medicine.

INTRODUCTION

Digestion and metabolism represent fundamental physiological processes that underpin human health and contribute substantially to nutrition, energy homeostasis, immune competence, growth, tissue maintenance, and resistance to disease. Efficient digestion enables the appropriate breakdown, absorption, and utilization of nutrients required for cellular metabolism and tissue function, whereas disturbances in these processes may contribute to a broad spectrum of acute and chronic disorders. Over the past several decades, advances in biomedical science have progressively expanded the understanding of gastrointestinal physiology. The gut is now recognized not merely as an organ responsible for digestion and nutrient absorption, but as a highly complex and metabolically active ecosystem in which host cells, dietary components, microbial communities, and their metabolites interact continuously. At the centre of this paradigm shift is the recognition of the gut microbiome as an important regulator of host metabolism, immune homeostasis, endocrine signalling, intestinal barrier integrity, and systemic physiological processes.^[1]

The gut microbiome plays an active role in the metabolism of carbohydrates, proteins, and lipids and contributes to the synthesis and transformation of numerous bioactive metabolites, including short-chain fatty acids. Through interactions with intestinal epithelial cells and the immune and metabolic systems of the host, microbial communities influence nutrient utilization, inflammatory signalling, immune responses, and metabolic homeostasis. Conversely, alterations in microbial composition, diversity, and functional capacity—collectively described as gut dysbiosis—have been associated with obesity, type 2 diabetes mellitus, inflammatory bowel diseases, metabolic dysfunction, and several other chronic lifestyle-related conditions.^[2] Increasing evidence therefore supports the concept that gastrointestinal physiology is a dynamic host–microbe process rather than an isolated digestive function. The bidirectional interaction among diet, gut microorganisms, intestinal barrier function, host metabolism, immune responses, and environmental factors has consequently positioned the gut microbiome as an important component of systemic health.^[3]

A comparable holistic understanding of digestion and metabolism has long been embedded within the Ayurvedic system of medicine through the fundamental concept of *Agni*. Traditionally described as the principle of transformation or “biological fire,” *Agni* encompasses the processes responsible for the transformation and utilization of food and other substrates within the body. Classical Ayurvedic literature attributes a central role to *Agni* in digestion, absorption, tissue nourishment (*Dhatu poshana*), strength (*Bala*), complexion (*Varna*), vitality, and the maintenance of *Ojas*.^[4] From the Ayurvedic perspective, the appropriate functioning of *Agni* is therefore considered essential for maintaining

physiological equilibrium, sustaining tissue integrity, and preserving health.

Ayurveda further describes different states of *Agni*, with *Samagni* representing a balanced physiological state and disturbances such as *Agnimandya* reflecting impaired or insufficient digestive and transformative capacity. According to Ayurvedic pathophysiology, impaired digestion may result in incomplete or inappropriate transformation of ingested material, contributing to the formation of *Ama*. *Ama* is traditionally described as a pathological product associated with impaired digestion and metabolism and is considered capable of contributing to obstruction of physiological pathways and the development of systemic dysfunction.^[5] Although *Ama* is a construct within a traditional medical framework and should not be considered directly equivalent to any single modern biochemical entity, certain aspects of its description invite comparison with contemporary concepts involving altered microbial metabolism, intestinal barrier dysfunction, metabolic endotoxemia, and persistent low-grade inflammation.^[6] Such comparisons may provide hypotheses for investigation but should be interpreted as conceptual correspondences rather than established biological equivalences.

The potential relationship between *Agni* and the gut microbiome becomes particularly relevant when their shared emphasis on dynamic regulation and interaction with dietary and environmental factors is considered. Ayurvedic descriptions of *Agni* recognize the influence of dietary quality, quantity and timing of food intake, lifestyle, sleep, seasonal variation, psychological factors, and other environmental determinants on digestive function. Contemporary microbiome research similarly demonstrates that dietary patterns, circadian rhythms, lifestyle, stress, and environmental exposures can influence microbial composition, diversity, and metabolic activity. The gut microbiome, in turn, produces metabolites and signalling molecules that can affect host metabolic and immune pathways. These observations provide an important conceptual basis for exploring whether certain dimensions of Ayurvedic physiology can be meaningfully examined through contemporary approaches to microbiome and metabolic research.

However, establishing a meaningful relationship between *Agni* and the gut microbiome requires methodological caution. *Agni* is a multidimensional Ayurvedic construct that encompasses more than gastrointestinal digestion alone, whereas the gut microbiome represents a measurable biological ecosystem consisting of microorganisms and their genetic and metabolic functions. Therefore, the objective should not be to equate the two frameworks, but rather to identify areas of functional convergence that may generate testable interdisciplinary hypotheses. Such an approach can preserve the theoretical integrity of Ayurvedic concepts

while allowing them to be examined alongside contemporary biomedical evidence.

In this context, the present review critically examines the conceptual relationship between *Agni* and contemporary understanding of the gut microbiome, with particular emphasis on digestion, metabolism, inflammation, host-microbe interactions, and systemic health. By bringing classical Ayurvedic perspectives into dialogue with emerging microbiome science, this review seeks to develop a scientifically cautious and theoretically coherent framework for future interdisciplinary research. It further considers whether the concepts of *Agni*, *Agnimandya*, *Samagni*, and *Ama* may provide useful conceptual constructs for generating research hypotheses related to metabolic homeostasis, lifestyle-related disease, and preventive and personalized approaches to health.

METHODS

Literature Identification and Search Strategy

A structured literature search was undertaken to identify relevant classical Ayurvedic and contemporary biomedical literature addressing *Agni*, digestion, metabolism, gut microbiota, microbial metabolites, host-microbe interactions, intestinal barrier function, inflammation, and metabolic health. The contemporary biomedical literature was searched primarily through PubMed and Google Scholar. Searches were conducted using combinations of keywords and Boolean operators, including “*Agni*,” “*Jatharagni*,” “*Bhutagni*,” “*Dhatvagni*,” “*Samagni*,” “*Agnimandya*,” “*Ama*,” “*Ayurveda*,” “gut microbiome,” “gut microbiota,” “dysbiosis,” “microbial metabolites,” “short-chain fatty acids,” “intestinal barrier,” “intestinal permeability,” “metabolic endotoxemia,” “inflammation,” “metabolic homeostasis,” “obesity,” “insulin resistance,” “type 2 diabetes,” “circadian rhythm,” “meal timing,” “diet,” “stress,” and “sleep.” Combinations of Ayurvedic and biomedical terms were additionally used to identify literature relevant to the conceptual interface between the two knowledge systems.

The search emphasized peer-reviewed scientific literature, including original research studies, systematic reviews, meta-analyses, narrative reviews, and authoritative scientific perspectives relevant to the objectives of the present review. Greater emphasis was placed on publications addressing functional and mechanistic aspects of the gut microbiome, including nutrient transformation, microbial metabolite production, host metabolic signalling, intestinal barrier integrity, immune regulation, and microbiome-host interactions, rather than studies limited to microbial taxonomy.

Classical Ayurvedic literature was examined separately using authoritative Sanskrit sources, established translations, and recognized commentaries. Particular attention was given to descriptions of *Agni*, *Jatharagni*, *Bhutagni*, *Dhatvagni*, *Samagni*, *Agnimandya*, *Ama*,

Ahara Paka, digestion, metabolism, and *Dhatu poshana*. Classical references were selected on the basis of their direct relevance to the Ayurvedic constructs discussed in the review.

Eligibility and Source Selection

Literature was considered relevant when it contributed directly to one or more of the following domains:

- (i) Physiological or pathological concepts of *Agni* and related Ayurvedic constructs;
- (ii) Gastrointestinal digestion and nutrient transformation;
- (iii) Gut microbial ecology and function;
- (iv) Microbial metabolites and host metabolic signalling;
- (v) Intestinal barrier function and inflammation;
- (vi) Diet, meal timing, circadian regulation, sleep, or psychological stress in relation to gastrointestinal or metabolic physiology;
- (vii) Potential relationships between Ayurvedic interventions and microbiome-related or metabolic outcomes.

Studies were excluded when they were unrelated to the conceptual objectives of the review, focused exclusively on microbial taxonomy without functional relevance, lacked sufficient scientific or textual relevance, or did not provide information applicable to the proposed *Agni*-microbiome comparison. Where multiple publications addressed similar concepts, preference was given to authoritative reviews, seminal mechanistic studies, systematic reviews, meta-analyses, and more recent high-quality evidence.

Literature Synthesis and Conceptual Framework

The identified literature was not subjected to quantitative pooling or formal risk-of-bias meta-analysis because the present article was designed as a narrative and conceptual review involving comparison of two distinct knowledge frameworks. Instead, evidence was organized thematically according to digestion and transformation, metabolic regulation, microbial metabolites, host-microbe communication, intestinal barrier function, inflammation, lifestyle determinants, and systemic homeostasis.

The Ayurvedic and biomedical literature were subsequently compared at the level of functional domains rather than individual entities. In particular, the analysis examined whether selected Ayurvedic descriptions could provide useful hypothesis-generating frameworks for contemporary investigation. Ayurvedic constructs were not assumed to correspond directly to specific microorganisms, microbial communities, metabolites, biochemical pathways, or clinical biomarkers. Thus, similarities identified in the review were interpreted as functional or conceptual convergence without biological equivalence.

This approach was adopted to minimize retrospective biomedical reinterpretation of Ayurvedic concepts while permitting scientifically testable interdisciplinary hypotheses. The resulting synthesis therefore distinguishes between established biomedical evidence, classical Ayurvedic descriptions, and proposed conceptual relationships requiring empirical validation.

Conceptual Relationship Between *Agni* and the Gut Microbiome

Ayurveda conceptualizes digestion, transformation, assimilation, and tissue metabolism through the multidimensional framework of *Agni*. Rather than representing digestion as a single physiological event, classical Ayurvedic physiology describes *Agni* as operating through interconnected levels of transformation. *Jatharagni* is principally associated with the digestion of ingested food within the gastrointestinal tract and represents the primary stage of food transformation. *Bhutagni* is described as facilitating further transformation of the elemental components of digested material, while *Dhatvagni* is associated with tissue-specific transformation and utilization involved in the nourishment and maintenance of individual *Dhatus*. Collectively, these concepts provide an Ayurvedic framework in which digestion, assimilation, tissue nourishment, and metabolic transformation are interconnected processes contributing to physiological equilibrium.^[4]

Contemporary microbiome science similarly demonstrates that gastrointestinal physiology extends considerably beyond the mechanical and enzymatic digestion of food. The gut microbiome constitutes a metabolically active component of the intestinal ecosystem and contributes to the transformation of dietary substrates that are incompletely digested by host enzymes. Microbial fermentation and enzymatic activity generate a diverse range of metabolites that can interact with intestinal epithelial cells and influence host metabolic, endocrine, and immune pathways. Through these host-microbe interactions, microbial activity can influence nutrient availability, energy metabolism, intestinal barrier function, inflammatory signalling, and systemic physiological processes.^[5]

Within this context, *Samagni*, representing a state of appropriately functioning and balanced *Agni*, may be considered conceptually comparable—not biologically equivalent—to a state of functional microbial homeostasis. Contemporary research associates a healthy gut microbial ecosystem with ecological stability, functional diversity, appropriate metabolite production, and effective host-microbe communication. Likewise, Ayurvedic descriptions of balanced *Agni* emphasize appropriate digestion, assimilation, tissue nourishment, and maintenance of physiological equilibrium. The similarity therefore lies primarily in the shared emphasis on functional balance, efficient transformation, and

maintenance of homeostasis, rather than in a direct correspondence between *Agni* and the microbiota.

Conversely, *Agnimandya*, characterized in Ayurveda by impaired or diminished digestive and transformative capacity, may be explored alongside contemporary models of altered gut microbial function. Gut dysbiosis has been associated with changes in microbial diversity and metabolic activity, altered production of microbial metabolites, intestinal barrier dysfunction, and dysregulated inflammatory responses. These alterations may contribute to disturbances in metabolic homeostasis and have been implicated in several chronic metabolic and inflammatory conditions. Ayurvedic descriptions of *Agnimandya* similarly emphasize impaired digestion and inappropriate transformation of ingested material, followed by pathological consequences within the body⁶. However, such correspondence should remain hypothesis-generating, because dysbiosis and *Agnimandya* are independently defined constructs and cannot presently be regarded as interchangeable diagnostic entities.

The concept of *Ama* further illustrates the potential, but also the limitations, of cross-disciplinary comparison. In Ayurvedic pathophysiology, *Ama* is traditionally associated with impaired digestion and incomplete transformation and is described as contributing to obstruction and systemic dysfunction. Contemporary biomedical science, in contrast, describes specific measurable processes such as altered microbial metabolites, intestinal permeability, endotoxin exposure, and chronic low-grade inflammation. Although certain functional features of these phenomena may be compared with aspects of the Ayurvedic description of *Ama*, there is currently insufficient evidence to establish a direct biochemical identity between them. Therefore, the relationship is best understood as a conceptual analogy requiring empirical validation, rather than as an established mechanistic equivalence.

Overall, the comparison between *Agni* and the gut microbiome suggests a potentially useful systems-oriented perspective on digestion and metabolism. Both frameworks recognize that physiological health depends on coordinated transformation, utilization, and regulation rather than on isolated digestive events. Nevertheless, the two frameworks operate within different epistemological and methodological traditions. Their integration should therefore preserve the specificity of Ayurvedic concepts while using contemporary biomedical methods to investigate potentially measurable correlates.

Role in Metabolic Regulation

The gut microbiome has emerged as an important contributor to host metabolic regulation through its influence on nutrient transformation, microbial metabolite production, intestinal signalling, and interactions with endocrine and immune pathways. Gut microorganisms participate in the fermentation of

otherwise poorly digestible dietary carbohydrates and fibres and produce short-chain fatty acids (SCFAs), principally acetate, propionate, and butyrate. These metabolites can function as energy substrates and signalling molecules and have been associated with effects on intestinal epithelial integrity, glucose metabolism, lipid metabolism, immune regulation, and energy homeostasis. Microbiome-derived signals can also influence communication between the intestine and peripheral organs, including the liver and adipose tissue, thereby contributing to the broader regulation of host metabolism.^[7]

Within Ayurveda, *Agni* occupies a central position in the transformation and utilization of food. Classical descriptions of *Ahara Paka* emphasize the digestion and transformation of ingested food, while the concept of *Dhatvagni* extends the framework to tissue-level transformation and nourishment. Proper functioning of *Agni* is consequently associated with appropriate digestion, assimilation, and sequential nourishment of the *Dhatus*, thereby supporting strength, tissue integrity, and physiological equilibrium. Conversely, impairment of *Agni* is traditionally associated with inappropriate transformation and inadequate nourishment of tissues.^[8]

The apparent convergence between these frameworks becomes particularly relevant when metabolism is considered as a multilevel and interconnected process. Contemporary microbiome research demonstrates that microbial activity can influence the availability and transformation of nutrients as well as signalling pathways involved in glucose and lipid metabolism. Ayurveda similarly presents digestion and tissue nourishment as interconnected stages of transformation governed by the coordinated functioning of different forms of *Agni*. Thus, both frameworks place emphasis on the relationship between the initial processing of food and subsequent physiological consequences.

However, this comparison should not be interpreted as evidence that *Agni* represents the gut microbiome or that microbial activity constitutes the biological basis of

Agni. The Ayurvedic concept encompasses a broader physiological and theoretical construct than microbial metabolism alone. Similarly, the gut microbiome represents a defined biological ecosystem whose composition and functions can be investigated through molecular, biochemical, and clinical methods. The value of the comparison therefore lies in identifying overlapping functional domains that may be experimentally investigated, rather than establishing equivalence between the two systems.

From an integrative perspective, disturbances in digestive and microbial function may be viewed as potential contributors to metabolic imbalance through different but interconnected pathways. Altered microbial metabolism, intestinal barrier dysfunction, inflammatory signalling, and impaired host metabolic responses are recognized components of contemporary models of metabolic disease. Ayurvedic pathophysiology, meanwhile, places disturbed *Agni* at the centre of impaired digestion and systemic imbalance. Examining these frameworks together may therefore facilitate the development of interdisciplinary research questions concerning diet, lifestyle, digestion, microbial ecology, metabolic biomarkers, and systemic health.

Taken together, the conceptual analysis indicates that *Agni* and the gut microbiome can be considered complementary explanatory frameworks for investigating aspects of digestion, transformation, and metabolic homeostasis, provided that their distinct theoretical foundations are maintained. The proposed relationship is interpretative and functional rather than a demonstration of direct biological equivalence. Future research should therefore focus on developing operational definitions of relevant Ayurvedic constructs and examining their relationships with measurable parameters such as gut microbial composition and function, microbial metabolites, intestinal barrier markers, inflammatory mediators, and metabolic biomarkers. Such investigations could help determine whether the conceptual relationship identified in this review has measurable biological and clinical relevance.

Ayurvedic construct	Classical description	Potential contemporary domain	Interpretation
<i>Agni</i>	Digestion/transformation	Host digestion + metabolism	Functional analogy
<i>Jatharagni</i>	Primary digestion	Gastrointestinal digestive processes	Partial conceptual correspondence
<i>Dhatvagni</i>	Tissue-level transformation	Cellular/tissue metabolism	Conceptual analogy
<i>Samagni</i>	Balanced digestion	Metabolic/microbial homeostasis	Hypothesis-generating
<i>Agnimandya</i>	Impaired digestion	Altered metabolic/microbial function	Not equivalent to dysbiosis
<i>Ama</i>	Product of impaired transformation	Inflammatory/metabolic by-products	No established biochemical equivalent

DISCUSSION

The conceptual analysis presented in this review indicates several areas of functional convergence between the Ayurvedic framework of *Agni* and contemporary understanding of the gut microbiome. These similarities are particularly evident in relation to

digestion, metabolic transformation, host–environment interactions, immune regulation, and maintenance of systemic homeostasis. However, the comparison should be interpreted within the distinct theoretical and methodological contexts of Ayurveda and modern biomedical science. The purpose of this discussion is

therefore not to establish biological equivalence between *Agni* and the gut microbiome, but to examine whether their respective descriptions of physiological balance and dysfunction can inform complementary hypotheses for contemporary research.

Integrative Understanding of *Agni* and the Gut Microbiome: A Systems Perspective

Ayurveda conceptualizes digestion and metabolism through the multidimensional principle of *Agni*, which extends beyond gastrointestinal digestion to encompass processes involved in transformation, assimilation, and tissue nourishment.^[17,18] Classical Ayurvedic literature describes different functional levels of *Agni*, including *Jatharagni*, *Bhutagni*, and *Dhatvagni*, through which the transformation of ingested material and subsequent nourishment of tissues are understood to occur.^[19-24] This hierarchical framework places digestion within a broader physiological network in which disturbances in transformation at one level may have consequences for subsequent stages of nourishment and systemic function.

Contemporary biomedical research has similarly moved towards a systems-level understanding of gastrointestinal physiology. The gut microbiome is increasingly recognized as a metabolically active component of the host ecosystem, participating in nutrient transformation and generating microbial metabolites that influence intestinal, hepatic, endocrine, immune, and metabolic pathways. Communication between the gut microbiota and distant organs occurs through interconnected metabolic, immune, endocrine, and neural mechanisms. This understanding reinforces the broader principle that gastrointestinal processes can have consequences extending well beyond the intestinal tract.

From an integrative perspective, *Agni* and the gut microbiome may therefore be viewed as distinct explanatory frameworks that overlap in selected functional domains, particularly the transformation and utilization of nutrients and the maintenance of physiological homeostasis. The Ayurvedic emphasis on appropriate digestive function provides a holistic model of metabolic health, while microbiome science provides measurable biological mechanisms through which intestinal processes may influence systemic physiology. Nevertheless, *Agni* should not be reduced to the microbiome, as its Ayurvedic meaning encompasses broader dimensions of physiological transformation that cannot currently be captured by microbial parameters alone.^[17,18]

***Ama* and Microbial Dysbiosis: Conceptual Parallels**

The Ayurvedic concept of *Ama* occupies an important position in the pathophysiology of disorders associated with impaired digestion and metabolism. Traditionally, *Ama* is described in relation to inadequate or inappropriate transformation and is associated with characteristics such as heaviness, impaired physiological functioning, and obstruction of biological pathways.

Within Ayurvedic theory, accumulation of *Ama* is considered capable of disturbing tissue function and contributing to disease development.

Certain aspects of this description invite comparison with contemporary models of gut dysbiosis and metabolic dysfunction. Alterations in gut microbial composition and function may influence intestinal barrier integrity, microbial metabolite production, immune signalling, and systemic inflammatory responses. Lipopolysaccharide exposure and other microbial products have been investigated in relation to metabolic endotoxemia and chronic low-grade inflammation, with potential implications for insulin resistance, obesity, cardiometabolic dysfunction, and related disorders.

However, *Ama* cannot presently be equated with lipopolysaccharide, endotoxins, dysbiosis, or any single biochemical entity. These modern phenomena represent specific measurable biological processes, whereas *Ama* is a multidimensional construct embedded within Ayurvedic pathophysiology. The appropriate interpretation is therefore one of conceptual and functional correspondence rather than biochemical identity. This distinction is important to prevent retrospective reinterpretation of Ayurvedic concepts solely through contemporary biomedical terminology.

Nevertheless, the comparison may be scientifically valuable because it generates testable questions. Future studies could investigate whether individuals classified according to well-defined Ayurvedic criteria of *Agni* disturbance exhibit measurable differences in microbial composition, microbial metabolites, intestinal permeability, inflammatory biomarkers, or metabolic parameters. Such research could determine whether the conceptual association between *Ama* and contemporary markers of metabolic dysfunction has an identifiable biological correlate.

Modulators of *Agni* and the Gut Microbiome: Lifestyle Convergence

Ayurveda places considerable emphasis on diet, meal patterns, daily routines (*Dinacharya*), seasonal adaptation (*Ritucharya*), sleep, psychological state, and other behavioural determinants in maintaining appropriate *Agni*. From the Ayurvedic perspective, sustained disruption of these factors may impair digestive function and contribute to physiological imbalance.

Contemporary research provides substantial evidence that lifestyle and environmental factors also influence the composition and functional activity of the gut microbiome. Dietary composition is a major determinant of microbial ecology, while meal timing and circadian rhythms can influence microbial oscillations and host metabolic signalling. Disruption of circadian organization has been associated with alterations in microbial rhythmicity and metabolic regulation.^[12,13]

Similarly, psychological stress may influence gastrointestinal function, intestinal permeability, immune responses, and microbial composition through complex neuroendocrine and bidirectional gut–brain pathways.

This convergence is particularly relevant because both Ayurveda and contemporary lifestyle medicine recognize health as a dynamic interaction between biological processes and behavioural patterns. Ayurvedic emphasis on regularity, appropriate dietary practices, sleep, seasonal adaptation, and stress management can therefore be examined as a source of hypotheses for research on microbiome-mediated metabolic health. However, traditional recommendations should not automatically be regarded as microbiome-targeted interventions; their biological effects require systematic evaluation using contemporary experimental and clinical methods.

Ayurvedic Interventions and Potential Microbiome Modulation

A major therapeutic objective of Ayurvedic management is the restoration and maintenance of appropriately functioning *Agni*. Depending on the clinical context, approaches may include *Deepana-Pachana*, dietary modification, lifestyle regulation, and selected *Shodhana* procedures intended to address disturbances described within the Ayurvedic framework. Emerging research has begun to investigate whether certain Ayurvedic herbs, formulations, dietary practices, and therapeutic procedures can influence microbial ecology, inflammation, and metabolic pathways.^[16]

Several Ayurvedic medicinal plants contain phytochemicals with antimicrobial, anti-inflammatory, antioxidant, or potentially prebiotic properties. Such constituents may interact with intestinal microorganisms and may consequently influence microbial metabolites and host signalling. Similarly, dietary patterns and food-based practices emphasized in Ayurveda may influence substrate availability for microbial fermentation and thereby alter microbial composition and function.

Nevertheless, the current evidence should be interpreted cautiously. Demonstrating that an Ayurvedic herb possesses antimicrobial or anti-inflammatory activity in vitro does not establish that a particular Ayurvedic intervention modulates the human gut microbiome in a clinically meaningful manner. Likewise, changes in microbial abundance alone do not necessarily indicate improved metabolic health. Future research should

therefore move beyond descriptive microbiome profiling and investigate functional outcomes, including microbial metabolic pathways, metabolite production, intestinal barrier integrity, inflammatory biomarkers, and clinically relevant metabolic endpoints.

The potential relationship between Ayurvedic interventions and the microbiome may also be mediated through multiple pathways rather than a single mechanism. Dietary changes altered gastrointestinal motility, bile acid metabolism, host immune responses, microbial fermentation, and changes in behavioural patterns may collectively contribute to observed effects. Accordingly, the term “microbiome modulation” should be used only when supported by appropriate experimental evidence, while theoretical or preliminary associations should preferably be described as “potential microbiome-related effects.”

Clinical and Translational Implications

The conceptual relationship between *Agni* and the gut microbiome may have implications for preventive and personalized approaches to metabolic health. Ayurveda emphasizes individualized assessment of digestive capacity, dietary suitability, lifestyle, and physiological constitution, whereas contemporary precision medicine increasingly seeks to characterize individual differences in microbial ecology, metabolism, inflammation, and response to dietary or therapeutic interventions.

An integrative model could therefore explore whether Ayurvedic assessments of digestive function can be operationalized alongside measurable biomedical parameters. Potential research domains include gut microbial diversity and functional pathways, short-chain fatty acids and other microbial metabolites, intestinal permeability, inflammatory mediators, glycaemic regulation, lipid profiles, and anthropometric or metabolic outcomes. Such an approach could help determine whether Ayurvedic phenotyping provides additional information beyond conventional metabolic assessment.

Importantly, this possibility should be investigated empirically rather than assumed. The clinical utility of integrating Ayurvedic assessment with microbiome profiling would require standardized diagnostic criteria, reproducible assessment tools, validated biomarkers, and adequately powered clinical studies. Establishing such evidence would represent an important step towards translating conceptual convergence into evidence-based integrative healthcare.

Ayurvedic domain	Potential measurable parameter
<i>Samagni</i>	GI symptoms, metabolic markers, microbiome diversity/function
<i>Agnimandya</i>	GI symptom score, glucose/lipid parameters, microbial metabolites
<i>Ama</i>	Inflammatory markers, intestinal permeability markers, microbial metabolites
Dietary pattern	Dietary fibre, macronutrient composition, meal timing
<i>Dinacharya</i>	Sleep/circadian measures
Stress	Validated psychological scales + cortisol
Microbiome	16S rRNA/metagenomics/metabolomics

Limitations and Research Gaps

Despite the conceptual convergence identified in this review, several limitations should be acknowledged. First, the constructs of *Agni*, *Ama*, *Samagni*, *Agnimandya*, and *Dhatvagni* arise from a traditional theoretical framework and do not have universally accepted one-to-one biomedical definitions. Second, the gut microbiome itself is highly dynamic and influenced by numerous variables, including diet, medication use, age, geography, lifestyle, disease status, and host genetics. Third, much of the current literature describing relationships between Ayurvedic interventions and microbiome outcomes remains heterogeneous in study design, intervention characteristics, sample size, and outcome assessment.

Furthermore, conceptual similarity does not constitute evidence of causation. The presence of comparable descriptions in two knowledge systems cannot by itself establish that an Ayurvedic construct corresponds to a particular microbial pathway or biochemical mechanism. Future investigations should therefore employ clearly defined Ayurvedic phenotypes together with objective biological measurements. Longitudinal and controlled studies incorporating metagenomics, Meta transcriptomics, metabolomics, inflammatory biomarkers, intestinal barrier markers, and metabolic outcomes may be particularly informative.

Future Directions and Research Imperatives

Future research should focus on translating the conceptual framework proposed in this review into experimentally testable models. Studies could initially investigate whether standardized assessments of *Samagni* and *Agnimandya* are associated with reproducible differences in gut microbial composition or function. Subsequent investigations could examine relationships with microbial metabolites, inflammatory pathways, intestinal permeability, glucose regulation, lipid metabolism, and other indicators of systemic metabolic health.

Interventional research should evaluate specific Ayurvedic dietary, behavioural, or therapeutic protocols using appropriate control groups and predefined microbiome and metabolic outcomes. Longitudinal designs would be particularly valuable for determining whether changes in *Agni*-related clinical parameters precede, accompany, or follow changes in microbial and metabolic markers. Such research may provide a pathway from classical conceptual frameworks to measurable biological hypotheses without compromising the theoretical distinctiveness of Ayurveda.

An interdisciplinary research programme of this nature could contribute not only to the scientific evaluation of Ayurvedic concepts but also to a broader understanding of how diet, behaviour, microbial ecosystems, and host metabolism interact in the maintenance of health. The ultimate value of the *Agni*-microbiome framework will

therefore depend on its ability to generate reproducible, clinically meaningful, and biologically testable findings.

CONCLUSION

Agni represents a multidimensional Ayurvedic framework for understanding digestion, transformation, assimilation, tissue nourishment, and systemic physiological balance. Contemporary gut microbiome research independently demonstrates that gastrointestinal processes are closely connected with metabolic, immune, endocrine, and inflammatory regulation. The convergence between these perspectives is therefore scientifically interesting, particularly in the shared emphasis on dynamic regulation, nutrient transformation, host-environment interactions, and maintenance of homeostasis.

However, the present evidence supports conceptual and functional correspondence rather than direct biological equivalence between *Agni* and the gut microbiome. Similarly, *Ama* should not be regarded as synonymous with dysbiosis, endotoxemia, or any single modern biochemical entity. Maintaining this distinction is essential for rigorous interdisciplinary scholarship. The *Agni*-microbiome framework may nevertheless provide a valuable hypothesis-generating model for investigating the relationships among digestive function, dietary behaviour, microbial metabolism, inflammation, and systemic metabolic health. Future well-designed experimental and clinical studies integrating Ayurvedic phenotyping with microbiome, metabolomic, inflammatory, and metabolic assessments are required to determine the biological validity and clinical relevance of these proposed relationships. Such evidence-based integration could contribute to the development of more individualized and preventive approaches to metabolic health while facilitating meaningful dialogue between Ayurvedic knowledge and contemporary biomedical science.

REFERENCES

1. Gupta P, Korde P. Fundamentals principles of Ayurveda: a review. *Int J Biol Pharm Allied Sci*, 2025; 14(4): 2141-2151. doi:10.31032/IJBPA/2025/14.4.8901.
2. Shamrao PGKDS. Study of the effect of Yoga Nidra on the psychology of healthcare workers in terms of depression, anxiety and stress scale. *Bull Environ Pharmacol Life Sci*, 2022; 12(12): 45-52.
3. Deshpande K, Gupta P. Comprehensive analysis of Kaala as a Karan Dravya in Nidana Panchak: its impact on Ayurvedic diagnostic mechanisms and pathogenesis. *J Neonatal Surg*, 2025; 14(31S): 926-931. doi:10.63682/jns.v14i31S.8143.
4. Sahu D, Gupta P, Yasmin Y, Ojha A. Clinical efficacy of Eladi Leha and Chhinodbhavadi Kashayam in the management of Amlapitta. *Int Ayurvedic Med J.*, 2025; 13(5): 1314-1321. doi:10.46607/iamj0513052025.

5. Valdes AM, Walter J, Segal E, Spector TD. Role of the gut microbiome in nutrition and health. *BMJ*, 2018; 361: k2179.
6. Cani PD, Delzenne NM. The role of the gut microbiome in energy metabolism and metabolic disease. *Curr Pharm Des*, 2009; 15(13): 1546–58.
7. Guinane CM, Cotter PD. Role of the gut microbiome in health and chronic gastrointestinal disease. *Nat Rev Gastroenterol Hepatol*, 2013; 10(10): 559–73.
8. den Besten G, van Eunen K, Groen AK, Venema K, Reijngoud DJ, Bakker BM. The role of short-chain fatty acids in the interplay between diet, gut microbiome, and host energy metabolism. *J Lipid Res*, 2013; 54(9): 2325–40.
9. Lad V. *Textbook of Ayurveda: Fundamental Principles*. Albuquerque: The Ayurvedic Press, 2002.
10. Gupta P, Korde P, Agrawal A. Time as a regulator of health: re-examining human biological rhythms through Ayurvedic chronophysiology. *Int J Infect Dis Ther*, 2026; 11(3): 38–43. doi: 10.11648/j.ijid.20261103.11.
11. Zarrinpar A, Chaix A, Yooseph S, Panda S. Diet and feeding pattern affect the diurnal dynamics of the gut microbiome. *Cell Metab*, 2014; 20(6): 1006–17.
12. Thaïss CA, Zeevi D, Levy M, Zilberman-Schapira G, Suez J, Tengeler AC, et al. Transkingdom control of microbiota diurnal oscillations promotes metabolic homeostasis. *Cell*, 2014; 159(3): 514–29.
13. Gupta P. A conceptual study on diet (Aahar) in Ayurveda. *World J Pharm Pharm Sci*, 2024; 13(8).
14. Panda S. Circadian physiology of metabolism. *Science*, 2016; 354(6315): 1008–15.
15. Bisht IS, Pandey AK. Gut microbiome and Ayurveda: A new paradigm for health and disease. *J Ayurveda Integr Med*, 2021; 12(1): 103–10.
16. Agnivesha, Charaka, Dridhabala. *Charaka Samhita*. Edited by Vaidya Yadavji Trikamji Acharya. Varanasi: Chaukhambha Orientalia, 2014. Sutra Sthana 27/349–350.
17. Agnivesha, Charaka, Dridhabala. *Charaka Samhita*. Edited by Vaidya Yadavji Trikamji Acharya. Varanasi: Chaukhambha Orientalia, 2014. Chikitsa Sthana 15/3–5.
18. Sushruta. *Sushruta Samhita*. Edited by Vaidya Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan, 2012. Sutra Sthana 14/13–15.
19. Tripathi P, Gupta P. Management of PCOD/PCOS through Ayurveda review. *World J Pharm Pharm Sci*, 2024; 13(10): 1–18. doi:10.20959/wjpps202410-28466.
20. Agnivesha, Charaka, Dridhabala. *Charaka Samhita*. Edited by Vaidya Yadavji Trikamji Acharya. Varanasi: Chaukhambha Orientalia, 2014. Sutra Sthana 28/3–8.
21. Agnivesha, Charaka, Dridhabala. *Charaka Samhita*. Edited by Vaidya Yadavji Trikamji Acharya. Varanasi: Chaukhambha Orientalia, 2014. Vimana Sthana 6/12–13.
22. Sahu D, Gupta P, Ojha A. Clinical efficacy of Eladi Leha and Chhinnodbhavadi Kashayam in the management of Amlapitta. *Int Ayurvedic Med J*, 2025; 13(5): 1314–1321. doi:10.46607/iamj0513052025.
23. Gupta P, Korde P. Fundamentals principles of Ayurveda: a review. *Int J Biol Pharm Allied Sci*, 2025; 14(4): 2141–2151. doi:10.31032/IJBPAS/2025/14.4.8901.
24. Lynch SV, Pedersen O. The human intestinal microbiome in health and disease. *N Engl J Med*, 2016; 375(24): 2369–2379. doi:10.1056/NEJMra1600266.
25. Flint HJ, Scott KP, Louis P, Duncan SH. The role of the gut microbiota in nutrition and health. *Nat Rev Gastroenterol Hepatol*, 2012; 9(10): 577–589. doi:10.1038/nrgastro.2012.156.
26. Valdes AM, Walter J, Segal E, Spector TD. Role of the gut microbiome in nutrition and health. *BMJ*, 2018; 361: k2179. doi:10.1136/bmj.k2179.
27. Fan Y, Pedersen O. Gut microbiota in human metabolic health and disease. *Nat Rev Microbiol*, 2021; 19(1): 55–71. doi:10.1038/s41579-020-0433-9.
28. Cani PD, Van Hul M, Lefort C, Depommier C, Rastelli M, Everard A. Microbial regulation of organismal energy homeostasis. *Nat Metab*, 2019; 1: 34–46. doi:10.1038/s42255-018-0017-4.
29. Kau AL, Ahern PP, Griffin NW, Goodman AL, Gordon JI. Human nutrition, the gut microbiome, and the immune system. *Nature*, 2011; 474(7351): 327–336. doi:10.1038/nature10213.
30. Sommer F, Bäckhed F. The gut microbiota—masters of host development and physiology. *Nat Rev Microbiol*, 2013; 11(4): 227–238. doi:10.1038/nrmicro2974.
31. Zmora N, Suez J, Elinav E. You are what you eat: diet, health and the gut microbiota. *Nat Rev Gastroenterol Hepatol*, 2019; 16(1): 35–56. doi:10.1038/s41575-018-0065-5.
32. den Besten G, van Eunen K, Groen AK, Venema K, Reijngoud DJ, Bakker BM. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J Lipid Res*, 2013; 54(9): 2325–2340. doi:10.1194/jlr.R036012.
33. Rooks MG, Garrett WS. Gut microbiota, metabolites and host immunity. *Nat Rev Immunol*, 2016; 16(6): 341–352. doi:10.1038/nri.2016.42.
34. Cani PD, Van Hul M. Novel opportunities for next-generation probiotics and prebiotics. *Nat Rev Gastroenterol Hepatol*, 2018; 15(11): 689–690.
35. Koh A, De Vadder F, Kovatcheva-Datchary P, Bäckhed F. From dietary fiber to host physiology: short-chain fatty acids as key bacterial metabolites. *Cell*, 2016; 165(6): 1332–1345. doi: 10.1016/j.cell.2016.05.041.
36. Mann ER, Lam YK, Uhlig HH. Short-chain fatty acids: linking diet, the microbiome and immunity.

- Nat Rev Immunol*, 2024; 24: 577-595.
doi:10.1038/s41577-024-01014-8.
37. Mukhopadhy I, Louis P. Gut microbiota-derived short-chain fatty acids and their role in human health and disease. *Nat Rev Microbiol*, 2025; 23: 635-651.
doi:10.1038/s41579-025-01183-w.